JOURNAL OF FISH BIOLOGY

Editor

JOHN THORPE

LIBRARY
MAR 09 1994
National Marine Fisheries Service
2570 Dole Street
Honolulu, Hawaii

VOLUME 43

July to December 1993

Published for the Fisheries Society of the British Isles by Academic Press
London San Diego New York
Boston Sydney Tokyo Toronto

Contents of Volume 43

Number 1 July 1993

HOP, H., DANIELSSEN, D. S. and GJØSÆTER, J., Winter feeding ecology of cod (*Gadus morhua*) in a fjord of southern Norway 1

DALZELL, P., The fisheries biology of flying fishes (Families: Exocoetidae and Hemiramphidae) from the Camotes Sea, Central Philippines .. 19

POLITOU, C.-Y., ECONOMIDIS, P. S. and SINIS, A. I., Feeding biology of bleak, *Alburnus alburnus*, in Lake Koronia, northern Greece 33

PERERA, K. M. L., Ultrastructure of the primary gill lamellae of *Scomber australasicus* 45

MENEZES, M. R., NAIK, S. and MARTINS, M., Genetic characterization in four sciaenid species from the Arabian Sea 61

KOUMANS, J. T. M., AKSTER, H. A., BOOMS, G. H. R. and OSSE, J. W. M., Growth of carp (*Cyprinus carpio*) white axial muscle; hyperplasia and hypertrophy in relation to the myonucleus/sarcoplasm ratio and the occurrence of different subclasses of myogenic cells 69

HARTMANN, J. and QUOSS, H., Fecundity of whitefish (*Coregonus lavaretus*) during the eu- and oligotrophication of Lake Constance 81

MILTON, D. A., BLABER, S. J. M. and RAWLINSON, N. J. F., Age and growth of three species of clupeids from Kiribati, tropical central south Pacific 89

HARTMAN, K. J. and MARGRAF, F. J., Evidence of predatory control of yellow perch (*Perca flavescens*) recruitment in Lake Erie, U.S.A. .. 109

POTTINGER, T. G. and MORAN, T. A., Differences in plasma cortisol and cortisone dynamics during stress in two strains of rainbow trout (*Oncorhynchus mykiss*) 121

PAUL, A. J., PAUL, J. M. and SMITH, R. L., The seasonal changes in somatic energy content of Gulf of Alaska yellowfin sole, *Pleuronectes asper* .. 131

FOUDA, M. M., HANNA, M. Y. and FOUDA, F. M., Reproductive biology of a Red Sea goby, *Silhouettea aegyptia*, and a Mediterranean goby, *Pomatoschistus marmoratus*, in Lake Timsah, Suez Canal 139

ANNOUNCEMENTS 153

Number 2 August 1993

ABDEL-AZIZ, S. H. and EL-NADY, F. S., Lipid dynamics in the common torpedo, *Torpedo torpedo*, from the south eastern Mediterranean .. 155

NILSSON, J., Arctic charr strain crosses: effects on growth and sexual maturity 163

ŽIVKOV, M. and PETROVA, G., On the pattern of correlation between the fecundity, length, weight and age of pikeperch *Stizostedion lucioperca* .. 173

TILNEY, R. L. and HECHT, T., Early ontogeny of *Galeichthys feliceps* from the south east coast of South Africa 183

FRANKLIN, C. E. and DAVIE, P. S., The role of the pericardium in cardiac function in the dogfish, *Squalus acanthias* 213

VITTURI, R., CATALANO, E. and COLOMBERA, D., Chromosome analysis of *Bothus podas* (Pisces, Pleuronectiformes) from the Mediterranean Sea .. 221

N'DA, K. and DÉNIEL, C., Sexual cycle and seasonal changes in the ovary of the red mullet, *Mullus surmuletus*, from the southern coast of Brittany .. 229

MATHERS, E. M., HOULIHAN, D. F., MCCARTHY, I. D. and BURREN, L. J., Rates of growth and protein synthesis correlated with nucleic acid content in fry of rainbow trout, *Oncorhynchus mykiss*: effects of age and temperature 245

GEHRKE, P. C., REVELL, M. B. and PHILBEY, A. W., Effects of river red gum, *Eucalyptus camaldulensis*, litter on golden perch, *Macquaria ambigua* .. 265

GIBSON, D. I., *Monobothrium wageneri*: another imported tapeworm established in wild British freshwater fishes? 281

KENNEDY, C. R., Introductions, spread and colonization of new localities by fish helminth and crustacean parasites in the British Isles: a perspective and appraisal 287

FINSTAD, B. and HEGGBERGET, T. G., Migration, growth and survival of wild and hatchery-reared anadromous Arctic charr (*Salvelinus alpinus*) in Finnmark, northern Norway 303

BRIEF COMMUNICATIONS

BENTZEN, P., TAYLOR, E. B. and WRIGHT, J. M., A novel synthetic probe for DNA fingerprinting salmonid fishes 313

NASH, R. D. M. and SANTOS, R. S., The occurrence of the lesser weever in the Azores 317

HOUTHUIJZEN, R. P., BACKX, J. J. G. M. and BUIJSE, A. D., Exceptionally rapid growth and early maturation of perch in a freshwater lake recently converted from an estuary 320

HUTCHINSON, S. and HAWKINS, L. E., The migration and growth of O-group flounders *Pleuronectes flesus* in mixohaline conditions .. 325

Number 3 September 1993

SOLA, L., BRESSANELLO, S., ROSSI, A. R., IASELLI, V., CROSETTI, D. and CATAUDELLA, S., A karyotype analysis of the genus *Dicentrarchus* by different staining techniques 329

PILCHER, M. W. and MOORE, J. F., Distribution and prevalence of *Anguillicola crassus* in eels from the tidal Thames catchment 339

MANGOR-JENSEN, A., WAIWOOD, K. G. and PETERSON, R. H., Water balance in eggs of striped bass (*Morone saxatilis*) 345

PULLIAINEN, E. and KORHONEN, K., Does the burbot, *Lota lota*, have rest years between normal spawning seasons? 355

GONZALEZ, G., CRESPO, S. and BRUSLE, J., Histo-cytological study of the liver of the cabrilla sea bass, *Serranus cabrilla* (Teleostei, Serranidae), an available model for marine fish experimental studies 363

BARDONNET, A., Use of visual landmarks by young trout (*Salmo trutta*) during their diel downstream post-emergence displacement in experimental channels 375

DEMPSTER, P. W., BEVERIDGE, M. C. M. and BAIRD, D. J., Herbivory in the tilapia *Oreochromis niloticus*: a comparison of feeding rates on phytoplankton and periphyton 385

WILKINS, N. P., COURTNEY, H. P. and CURATOLO, A., Recombinant genotypes in backcrosses of male Atlantic salmon × brown trout hybrids to female Atlantic salmon 393

KIESSLING, A., HUNG, S. S. O. and STOREBAKKEN, T., Differences in protein mobilization between ventral and dorsal parts of white epaxial muscle from fed, fasted and refed white sturgeon (*Acipenser transmontanus*) .. 401

JOBLING, M., JØRGENSEN, E. H. and SIIKAVUOPIO, S. I., The influence of previous feeding regime on the compensatory growth response of maturing and immature Arctic charr, *Salvelinus alpinus* 409

KUROKAWA, T., SUZUKI, T. and FUNAKOSHI, S., Purification of flounder (*Paralichthys olivaceus*) fibronectin and its localization during re-epithelialization at a fin wound 421

NORDLIE, F. G. and HANEY, D. C., Euryhaline adaptations in the fat sleeper, *Dormitator maculatus* 433

FURUTA, T., OGAWA, K. and WAKABAYASHI, H., Humoral immune response of carp *Cyprinus carpio* to *Myxobolus artus* (Myxozoa: Myxobolidae) infection 441

DEMPSON, J. B., Salinity tolerance of freshwater acclimated, small-sized Arctic charr, *Salvelinus alpinus*, from northern Labrador 451

FECHHELM, R. G., FITZGERALD, P. S., BRYAN, J. D. and GALLAWAY, B. J., Effect of salinity and temperature on the growth of yearling Arctic cisco (*Coregonus autumnalis*) of the Alaskan Beaufort Sea 463

DEGANI, G. and SCHREIBMAN, M. P., Pheromone of male blue gourami and its effect on vitellogenesis, steroidogenesis and gonadotropin cells in pituitary of the female 475

BRIEF COMMUNICATIONS

JOBLING, M. and MIGLAVS, I., The size of lipid depots—a factor contributing to the control of food intake in Arctic charr, *Salvelinus alpinus*? 487

SÆGROV, H. and URDAL, K., Mature male parr buried among eggs in an Atlantic salmon redd 490

NAKANO, T., SATO, M. and TAKEUCHI, M., Superoxide dismutase activity in the skin of fish 492

FRANCK, D. and RIBOWSKI, A., Dominance hierarchies of male green swordtails (*Xiphophorus helleri*) in nature 497

BARDONNET, A., GAUDIN, P., GROLET, O. and THORPE, J. E., Presence of an oesophageal mucus plug at the time of emergence in grayling (*Thymallus thymallus*) and Atlantic salmon (*Salmo salar*) 500

Number 4 October 1993

NAVARRO, J. C., BATTY, R. S., BELL, M. V. and SARGENT, J. R., Effects of two *Artemia* diets with different contents of polyunsaturated fatty acids on the lipid composition of larvae of Atlantic herring (*Clupea harengus*) 503

FÄNGSTAM, H., BERGLUND, I., SJÖBERG, M. and LUNDQVIST, H., Effects of size and early sexual maturity on downstream migration during smolting in Baltic salmon (*Salmo salar*) 517

RANTA, E. and JUVONEN, S.-K., Interference affects food-finding rate in schooling sticklebacks 531

LOBÓN-CERVIÁ, J., UTRILLA, C. G., QUEROL, E. and PUIG, M. A., Population ecology of pike-cichlid, *Crenicichla lepidota*, in two streams of the Brazilian Pampa subject to a severe drought 537

OLSEN, Y. A., REITAN, L. J. and RØED, K. H., Gill Na^+,K^+-ATPase activity, plasma cortisol level, and non-specific immune response in Atlantic salmon (*Salmo salar*) during parr–smolt transformation .. 559

MERRON, G. S., Pack-hunting in two species of catfish, *Clarias gariepinus* and *C. ngamensis*, in the Okavango Delta, Botswana 575

PERUZZI, S., SCOTT, A. G., DOMANIEWSKI, J. C. J. and WARNER, G. F., Initiation of gynogenesis in *Oreochromis niloticus* following heterologous fertilization 585

HOWE, J. C., A comparative analysis of the feeding apparatus in pomacanthids, with special emphasis of oesophageal papillae in *Genicanthus personatus* 593

HARTVIGSEN, R. and KENNEDY, C. R., Patterns in the composition and richness of helminth communities in brown trout, *Salmo trutta*, in a group of reservoirs 603

RIEHL, R. and KOKOSCHA, M., A unique surface pattern and micropylar apparatus in the eggs of *Luciocephalus* sp. (Perciformes, Luciocephalidae) 617

VALTONEN, E. T., TUUHA, H. and PUGACHEV, O. N., Seasonal studies of the biology of *Achtheres percarum* in perch, *Perca fluviatilis*, from four Finnish lakes over a 3-year period 621

JAY, C. V., Structure and volume of the hoki, *Macruronus novaezelandiae* (Merlucciidae), swimbladder 633

BRIEF COMMUNICATIONS

OTTERÅ, H. and FOLKVORD, A., Allometric growth in juvenile cod (*Gadus morhua*) and possible effects on cannibalism 643

ARMSTRONG, J. D. and RAWLINGS, C. E., The effect of intragastric transmitters on feeding behaviour of Atlantic salmon, *Salmo salar*, parr during autumn 646

AMORES, A., THODE, G., MARTINEZ, G. and GILES, V., Chromosome complement, C-banding and Ag-NOR in *Gymnammodytes cicerelus* (Ammodytidae, Perciformes) 649

WHEELER, A., The distribution of *Gobius cobitis* in the British Isles .. 652

CRISP, D. T., The ability of U.K. salmonid alevins to emerge through a sand layer 656

ANNOUNCEMENT 659

Number 5 November 1993

RASOTTO, M. B., The embryological origin of the juxtatesticular body in jawfishes (Opistognathidae) 661

LETCHER, B. H. and BENGTSON, D. A., Effects of food density and temperature on feeding and growth of young inland silversides (*Menidia beryllina*) 671

WEBB, P. W., Is tilting behaviour at low swimming speeds unique to negatively buoyant fish? Observations on steelhead trout, *Oncorhynchus mykiss*, and bluegill, *Lepomis macrochirus* 687

MEES, C. C., Population biology and stock assessment of *Pristipomoides filamentosus* on the Mahe Plateau, Seychelles 695

PAJAK, B. and DANGUY, A., Characterization of sugar moieties and oligosaccharide sequences in the distal intestinal epithelium of the rainbow trout by means of lectin histochemistry 709

MCKAY, S. I., Genetic relationships of *Brachygobius* and related brackish Indo-west Pacific and Australasian genera (Teleosti: Gobiidae) 723

TYLER, C. R. and EVERETT, S., Incidences of gross morphological disorders in barbel (*Barbus barbus*) in three rivers in southern England 739

SIMS, D. W., DAVIES, S. J. and BONE, Q., On the diel rhythms in metabolism and activity of post-hatching lesser spotted dogfish, *Scyliorhinus canicula* 749

BARDONNET, A., GAUDIN, P. and THORPE, J. E., Diel rhythm of emergence and of first displacement downstream in trout (*Salmo trutta*), Atlantic salmon (*S. salar*) and grayling (*Thymallus thymallus*) 755

WILKINS, H. K. A. and MYERS, A. A., Shelter utilization by *Gobius cruentatus* and *Thorogobius ephippiatus* (Teleostei: Gobiidae) 763

KRAUSE, J., The influence of hunger on shoal size choice by three-spined sticklebacks, *Gasterosteus aculeatus* 775

THONEY, D. A., Community ecology of the parasites of adult spot, *Leiostomus xanthurus*, and Atlantic croaker, *Micropogonias undulatus* (Sciaenidae) in the Cape Hatteras region 781

REIMERS, E., KJØRREFJORD, A. G. and STAVØSTRAND, S. M., Compensatory growth and reduced maturation in second sea winter farmed Atlantic salmon following starvation in February and March 805

Number 6 December 1993

BRADFORD, R. G., Differential utilization of storage lipids and storage proteins by Northwest Atlantic herring (*Clupea harengus harengus*) .. 811

SHACKLEY, P. E., TALBOT, C. and COWAN, A., The use of whole-body sodium, potassium and calcium content to identify the nutrient status of first year salmon fry 825

ANSELL, A. D. and GIBSON, R. N., The effect of sand and light on predation of juvenile plaice (*Pleuronectes platessa*) by fishes and crustaceans .. 837

PEN, L. J., GILL, H. S., HUMPHRIES, P. and POTTER, I. C., Biology of the black-stripe minnow *Galaxiella nigrostriata*, including comparisons with the other two *Galaxiella* species 847

STOUMBOUDI, M. Th., VILLWOCK, W., SELA, J. and ABRAHAM, M., Gonado-somatic index in *Barbus longiceps*, *Capoeta damascina* and their natural hybrid (Pisces, Cyprinidae), *versus* spermatozoan index in the parental males 865

MORGAN, I. J., TYTLER, P. and BELL, M. V., The accumulation of 137-caesium from fresh water by alevins and fry of Atlantic salmon and brown trout 877

BRIDCUT, E. E. and GILLER, P. S., Movement and site fidelity in young brown trout *Salmo trutta* populations in a southern Irish stream .. 889

BEVERIDGE, M. C. M., BAIRD, D. J., RAHMATULLAH, S. M., LAWTON, L. A., BEATTIE, K. A. and CODD, G. A., Grazing rates on toxic and non-toxic strains of cyanobacteria by *Hypophthalmichthys molitrix* and *Oreochromis niloticus* 901

BENTZEN, P., LEGGETT, W. C and BROWN, G. G., Genetic relationships among the shads (*Alosa*) revealed by mitochondrial DNA analysis .. 909

FEVOLDEN, S. E. and RØED, K. H., Cortisol and immune characteristics in rainbow trout (*Oncorhynchus mykiss*) selected for high or low tolerance to stress 919

MATTEI, X., SIAU, Y., THIAW, O. T. and THIAM, D., Peculiarities in the organization of testis of *Ophidion* sp. (Pisces Teleostei). Evidence for two types of spermatogenesis in teleost fish 931

BRIEF COMMUNICATIONS

BISHOP, J. M. and ABDUL-GHAFFAR, A.-R., Whale shark observations off Kuwait's coast in 1992 939

BILLINGTON, N., Genetic variation in Lake Erie yellow perch (*Perca flavescens*) demonstrated by mitochondrial DNA analysis 941

NAG, T. C. and BHATTACHARJEE, J., Optic cyst in a cyprinid teleost .. 944

MACLEAN, S. A. and DESPRES-PANTANJO, L. I., Gill X-cell lesions in American plaice (*Hippoglossoides platessoides*) concurrent with lymphocystis infection 947

ALEXANDRINO, P. J., SOUSA, C., PEREIRA, A. and FERRAND, N., Genetic polymorphism of adenosine deaminase (ADA; E.C. 3.5.4.4.) in allis shad, *Alosa alosa* and twaite shad, *Alosa fallax* 951

BOOK REVIEWS 955

BOOKS RECEIVED 960

Copyright © 1993 The Fisheries Society of the British Isles

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset